

Cu-Presskabelschuhe nach DIN 46 235



Anwendung für Kabelleiter aus Aluminium nach DIN VDE 0295


Geographical Label	Latitude	Longitude	Remoteness	Depth (m)	Water Temp (°C)	Salinity (PSU)	Acoustic	Type
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC000
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC001
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC002
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC003
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC004
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC005
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC006
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC007
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC008
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC009
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC010
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC011
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC012
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC013
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC014
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC015
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC016
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC017
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC018
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC019
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC020
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC021
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC022
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC023
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC024
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC025
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC026
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC027
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC028
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC029
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC030
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC031
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC032
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC033
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC034
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC035
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC036
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC037
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC038
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC039
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC040
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC041
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC042
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC043
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC044
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC045
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC046
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC047
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC048
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC049
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC050
6.5 N	6.5	0	0	0	27.0	34.5	0	SPRATC051

Eigenschaften

- Werkstoff: Kupfer
- Oberfläche: blank

Spezifikationen

Technische Zeichnung



Produkte

Art.nr.	Artikelname	Bestelleinheit
07100	ZPKCU 6/5	pro Stück
07098	ZPKCU 6/6	pro Stück
07101	ZPKCU 10/5	pro Stück
07099	ZPKCU 10/6	pro Stück
07118	ZPKCU 16/6	pro Stück
07102	ZPKCU 16/8	pro Stück
07119	ZPKCU 16/10	pro Stück
07120	ZPKCU 25/8	pro Stück
07103	ZPKCU 25/10	pro Stück
07123	ZPKCU 35/8	pro Stück
07104	ZPKCU 35/10	pro Stück
07124	ZPKCU 35/12	pro Stück
07125	ZPKCU 50/8	pro Stück
07105	ZPKCU 50/10	pro Stück
07126	ZPKCU 50/12	pro Stück
07127	ZPKCU 50/16	pro Stück
07128	ZPKCU 70/8	pro Stück
07129	ZPKCU 70/10	pro Stück
07106	ZPKCU 70/12	pro Stück
07130	ZPKCU 70/16	pro Stück
07131	ZPKCU 70/20	pro Stück
07132	ZPKCU 95/10	pro Stück
07107	ZPKCU 95/12	pro Stück
07133	ZPKCU 95/16	pro Stück
07134	ZPKCU 120/10	pro Stück

Cu-Presskabelschuhe nach DIN 46 235

07108	ZPKCU 120/12	pro Stück
07135	ZPKCU 120/16	pro Stück
07136	ZPKCU 120/20	pro Stück
07137	ZPKCU 150/10	pro Stück
07109	ZPKCU 150/12	pro Stück
07138	ZPKCU 150/16	pro Stück
07139	ZPKCU 150/20	pro Stück
07140	ZPKCU 185/10	pro Stück
07141	ZPKCU 185/12	pro Stück
07110	ZPKCU 185/16	pro Stück
07142	ZPKCU 185/20	pro Stück
07143	ZPKCU 240/12	pro Stück
07111	ZPKCU 240/16	pro Stück
07144	ZPKCU 240/20	pro Stück